


# RUTGERS ATHLETICS

## DONOR RECOGNITION GUIDELINES

The intent of these guidelines is to establish consistency in the design and recognition given to donors at the University. Donor signage is evaluated in a design review, and is based on the level of giving and context of the proposed space. The funding amount required to fabricate and install the donor signage will be identified in a proposal. Reference University Policy 20.1.23 'Proposals for Installation of Plaques, Monuments, Major Markers and Artwork' for information on policy administration, procedures, and funding source.

### Attachments:

- A) Memo – Donor Recognition Procedures
- B) University Policy 20.1.13  
Naming of Facilities and Programs
- C) University Policy 20.1.23  
Proposals for Installation of Plaques, Monuments, Major Markers and Artwork



## Guidelines: \$25,000 - \$99,000

Design review, including general site evaluation, is needed to establish plaque size and design. Plaque sizes include:

- 6" wide sign - 6" x 6 1/4" Plaque
- 10" wide sign - 10" x 4 1/2" Plaque
- 14" wide sign - 14" x 4 1/2" Plaque

Standard plaque design consists of black lettering and a red Block R on clear or frosted glass mounted with standoffs.


Block R is 3/4" Tall.

Standard font is Times New Roman.

The Block R and University Shield is permitted for use on Athletics donor plaques. No other graphics or logos can be included on the donor plaques.

Naming opportunities may include offices, small conference rooms, small seminar rooms, alcoves, and other spaces not associated with a room sign.

When no room sign is present, plaque size is determined by the available space and size of the donation.




Typical 6" wide sign  
w/ 6" x 6 1/4" plaque

Typical 10" wide sign  
w/ 10" x 4 1/2" plaque

Typical 14" wide sign  
w/ 14" x 4 1/2" plaque

No room sign present.  
6" x 6 1/4", 10" x 4 1/2", or  
14" x 4 1/2" plaque contingent  
on design review



## Guidelines: \$100,000 - \$249,000

Design review, including general site evaluation, is needed to establish plaque size and design. Plaque sizes include:

- 6" wide sign - 6" x 7 3/4" Plaque
- 10" wide sign - 10" x 7 3/4" Plaque
- 14" wide sign - 14" x 7 3/4" Plaque

Standard plaque design consists of black lettering and a red Block R on clear or frosted glass mounted with standoffs.


Block R is 1" Tall.

Standard font is Times New Roman.

The Block R and University Shield is permitted for use on Athletics donor plaques. No other graphics or logos can be included on the donor plaques.

Naming opportunities may include laboratories, classrooms, seminar rooms, office suites, assembly, lounges.

When no room sign is present, plaque size is determined by the available space and size of the donation.



Typical 6" wide sign  
w/ 6" x 7 3/4" plaque

Typical 10" wide sign  
w/ 10" x 7 3/4" plaque

Typical 14" wide sign  
w/ 14" x 7 3/4" plaque

No room sign present.  
6" x 7 3/4", 10" x 7 3/4", or  
14" x 7 3/4" plaque contingent  
on design review



## Guidelines: \$250,000 - \$499,000

Design review, including general site evaluation, is needed to establish plaque size and design. Plaque sizes include:

- 6" wide sign - 6" x 10" Plaque
- 10" wide sign - 10" x 10" Plaque
- 14" wide sign - 14" x 10" Plaque

Standard plaque design consists of black lettering and a red Block R on clear or frosted glass mounted with standoffs.


Standard font is Times New Roman.

Block R is 1 1/4" Tall.

The Block R and University Shield is permitted for use on Athletics donor plaques. No other graphics or logos can be included on the donor plaques.

Naming opportunities may include laboratories, classrooms, seminar rooms, office suites, executive office suites, assembly, lounges.

When no room sign is present, plaque size is determined by the available space and size of the donation.



Typical 6" wide sign  
w/ 6" x 10" plaque

Typical 10" wide sign  
w/ 10" x 10" plaque

Typical 14" wide sign  
w/ 14" x 10" plaque

No room sign present.  
6" x 10", 10" x 10", or  
14" x 10" plaque contingent  
on design review

# RAYMOND GRIFFITH LOCKER ROOM

# BRIAN & STACEY REILLY LOUNGE

# RAYMOND GRIFFITH LOCKER ROOM

# BRIAN & STACEY REILLY LOUNGE

### Guidelines: \$500,000+

Pin letter size, font and color is determined after design review and site evaluation. Letter size can range anywhere between 3" and 10" high.


Aluminum letters are available for both indoor and outdoor spaces. Acrylic letters are available for indoor spaces.

Color options are black and brushed aluminum.

Font is Avenir Medium capitalized.

An additional plaque is available when a narrative is requested.

Naming opportunities include, but are not limited to, courtyards, auditoriums, terraces, and outdoor spaces.



## Donor Wall Information

A donor wall option is available, as described in the Donor Recognition Procedure memo in lieu of individual room plaques. Recognition is allotted to multiple donors on a given wall space.

Design review, including a general evaluation of the site, materials, and colors, is needed to establish the donor wall design. Fonts available to use are Times New Roman and Avenir.

The hierarchy and scale of the giving levels is based on the Foundation's Donor campaign for the building.

The final design of the donor wall should be created by the architect and/or selected design firm, and reviewed by the client, The Foundation, and Planning, Development & Design.

